

Specification Sheet

COLUMN – KDZT047



CATEGORY:

FRAME

COLUMN

FOOT

CONTROL BOX

HANDSET

DESCRIPTION

Rectangular Slim Leg Profile, Inverted, Single Stage Column

PART NUMBER
KDZT047
FEATURES

- ANTI-COLLISION TECHNOLOGY
- HIGH STABILITY
- LOW NOISE LEVEL (<50 dB)
- VERY LOW STANDBY POWER CONSUMPTION
- NO SIDE HOLES ON TUBES

OPTIONS

- COLOR

SPECIFICATIONS

METRIC

ENGLISH

DYNAMIC LOAD CAPACITY	51KG	112LBF
STATIC LOAD CAPACITY	61KG	135LBF
SPEED	25MM/S	1.0IN/S
MIN HEIGHT	650MM	25.6IN
MAX HEIGHT	1090MM	42.9IN
STROKE	440MM	17.3IN
COLUMN PROFILE	50.0X80.0MM	1.97X3.15IN
PRODUCT WEIGHT	6.7KG	14.7LBS
MATERIAL	SPCC STEEL	
INPUT VOLTAGE	20VDC	
DUTY CYCLE	10%, MAX 1MIN ON/9MIN OFF	
NOISE LEVEL	45-48dB	
PROTECTION GRADE	IP20	
CONTROL BOX	230VAC or 120VAC	
ASSEMBLY	CONVENTIONAL	
OPERATING CONDITIONS	RELATIVE HUMIDITY	20% - 75%
	AMBIENT TEMPERATURE	5°C - 40°C (41°F - 104°F)

DIMENSIONS

