


## **FOURTRESS BASE**

4-LEG, V2 QUICK INSTALL







## FOUR COLUMNS FOR MORE POWER

Partner with KAIDI and stand tall in the industry.

KAIDI High Capacity base features:

- Exceptional performance at the push of a button.
- Quick Install lifting columns utilize clever clamping cam levers.
- More lifting capacity for desks with heavier loads.
- Adjustable steel frames offer flexibility of worktop dimensions.

The KAIDI team has the knowledge, experience and passion to help your company bring the best height-adjustable tables to the office furniture market.

# FEATURING THE KDDY106 CONTROL BOX

Operation speed Voltage 36MM/S 110-240VAC

Output Standby Power 30VDC 2.6W

Certifications Ports
UL 4

Compatible Stroke Lengths 440, 500, 650, 663

Anti-Collision (Gyro)

Over-Current Protection

#### **TECHNICAL SPECS**

#### **DUAL STAGE**

KDT024A + KDDY106

Speed 1<sup>in</sup>/<sub>sec</sub> / 25<sup>mm</sup>/<sub>sec</sub>\*

Max Dynamic Load 440lb / 200kg
Max Static Load 440lb / 200kg

Rated Load 352lb / 160kg
Operational Noise <48dB

Stroke Distance 26.1in / 663mm


21.1.7


Height Range 21.1-47.2in / 536-1199mm

<sup>\*</sup>Certain configurations of KAIDI Quattro bases may exhibit reduced performance compared to our standard specifications.

## **DUAL STAGE, V2 QUICK INSTALL**

KDZT024A + KDTJ033B-25 + KDF006C-9





#### LIFTING COLUMNS

Profile

Rectangle, Outer Tube 1.97in×3.15in / 50mm×80mm

**Dimensions** 

**FOOT CONFIGURATION** 

Configuration
Dimensions

Centered 29in × 3.6in × 1.2in 736mm × 92mm × 29.5mm

**FRAME** 

2024-02-26 Rev 05

Expandable Up To Rcmd. Desktop Size 40.75-68.5in / 1035-1740mm 41-72in / 1041-1828mm **FINISHES** 

Black, Silver, White

**SHIPPING INFO** 

BOX 1

42.1in × 6.1in × 5.7in 1070mm × 155mm × 145mm

**49.6lbs** / 22.5 kg

BOXES 2 & 3

26.3in × 9.6in × 4.9in

670mm × 245mm × 125mm

**39.6lbs** / 18 kg