




THREE COLUMNS. ZERO COMPROMISE.

Our new array of innovations will get your up and running faster than ever.

- New V4 Quick Install with integrated levers; no more loose components to keep track of.
- New Quick Mount control box makes it even easier.
- New Universal Side Beams .
- Optional Quick Install feet.

The KAIDI team has the knowledge, experience and passion to help your company bring the best height-adjustable tables to the office furniture market.

FEATURES OF THE KDBH50

Operation Speed	Voltage
36mm/s	100V_{AC}-120V_{AC}
Output	Standby Power
26V_{DC}	≤0.1W
Certifications	Ports
UL, CUL	3
Anti-Collision (Gyro)	
All-New Quick Mount System	
Over-Current Protection	

TECHNICAL SPECS* KDH064C + KDBC50

Speed	1.4 in/sec / 36 mm/sec
Max Dynamic Load	467 lb / 212.1 kg
Max Static Load	467 lb / 212.1 kg
Rated Load	350 lb / 159.1 kg
Operational Noise	48 dB

Column Profiles	69mm×69mm SQUARE	50mm×80mm SMALL RECT	60mm×95mm LARGE RECT.
-----------------	---------------------	-------------------------	--------------------------

DUAL STAGE COLUMNS

Stroke Options	Ⓒ 25.6 in / 650 mm	Ⓓ 26.1 in / 663 mm
Height Ranges	22.8-48.4in / 580-1230mm	21.1-47.2in / 536-1199mm

SINGLE STAGE COLUMNS

Stroke Options	Ⓑ 19.7 in / 500 mm
Height Ranges	25.6-42.2in / 651-1150mm

*Certain configurations of KAIDI bases may exhibit reduced performance compared to our standard specifications.

ALL-NEW V4 THREE-LEG BASE OPTIONS

BASE CONFIGURATIONS

LIFTING COLUMNS

Small Rect, Large Rect,
and Square Profiles

Single-Stage, and
Dual-Stage Options
B 500 C 650 D 663

Stroke Option A 440 unavailable

V4 QUICK INSTALL

- Updated Lifting Column
- Improved Efficiency
- Lower Noise

FOOT CONFIGURATIONS

Centered
"T"-Style

Off-set
"C"-Style


SHIPPING INFO

BOX 1	29.7in×11.6in×5.5in 755mm×295mm×140mm
	55lb / 25kg
BOX 2	43.7in×13.9in×4.3in 1110mm×355mm×110mm
	44lb / 20 kg

FINISHES**


Black, Silver, White

**Custom finishes available



90° ASSEMBLY OPTION

V4 STANDARD
180° ASSEMBLY OPTION



V4 STANDARD
120° ASSEMBLY OPTION

